

GAB-42U-SE - GAB-24U-SE



## Standard

- Comply with ANSI/EIARS-310-D, IEC60297-2, DIN41494; PART1; DIN41494;PART7

## Material

- SPCC Cold Rolled Steel;
- 19" rails: 2.0mm, side panel:1.0mm others: 1.2mm

## Colour

- 601S ■■■■ ■■ 0 ■■:RAL7035
- 601S ■■■■ ■■ 1 ■■:RAL9004

## Loading Capacity


- Static loading: 800KG

## Feature

- Exquisite design with precise dimension and craftsmanship;
- Several styles of front and rear doors options available;
- Adjustable feet and heavy duty castors are available simultaneously;
- Cable entry on the top cover and bottom panel with adjustable sizes ;
- Optional installation of plinth to enable cabinets fixation, under-base cable entry/ventilation;
- Efficient and reliable cabinet connection by buying kit;
- Removable side panels to ease maintain.

## Main Part

S/N	Specification	Qty	Material	Surface Finish	Remark
1	Rear door	1	----	---	See front&rear door type
2	Side panel	2	SPCC t1.0	Powder coated	Small round lock
3	19" rails	4	SPCC t2.0	zinc-plated	
4	Mounting angle	4/6	SPCC t1.2	Powder coated	6pcs for over 33U
5	Top cover	1	SPCC t1.2	Powder coated	
6	Frame	2	SPCC t1.2	Powder coated	
7	Cable management slot	2	SPCC t1.0	Powder coated	Only used for 800 width cabinet
8	Front door	1	----	---	See front&rear door type
9	Mounting spacer	8/12	SPCC t1.2	Powder coated	Only used for 800 width cabinet : 6pcs for over 33U
10	Bottom	1	SPCC t1.2	Powder coated	
11	cable entry panel	4	SPCC t1.2	Powder coated	
12	2" heavy duty castor	4	----	---	----
hardware kits with cabinet:					
A	M12 adjustable feet	4	Steel	Zinc-plated	Height:100MM
B	M6 screw& nuts	20/40	Steel	Zinc-plated	40pcs for over 33U
C	Trox tooling	1	Steel	Zinc-plated	---



- Right-angled frame enables users to easily place the logo.
- Easily connected and removed earth cable available.

## Specification

Part Number.	Width (mm)	Depth(D) (mm)	Capacity (U)	Height(H) (mm)	CKD packing parts		
601S.6615. ■■■. ■00	600	600	15	800	3		
601S.6620. ■■■. ■00			20	1022			
601S.6624. ■■■. ■00			24	1200			
601S.6629. ■■■. ■00			29	1422			
601S.6633. ■■■. ■00			33	1600			
601S.6638. ■■■. ■00			38	1822			
601S.6642. ■■■. ■00			42	2000			
601S.6647. ■■■. ■00			47	2222			
601S.6815. ■■■. ■00			800	15		800	
601S.6820. ■■■. ■00		20		1022			
601S.6824. ■■■. ■00		24		1200			
601S.6829. ■■■. ■00		29		1422			
601S.6833. ■■■. ■00		33		1600			
601S.6838. ■■■. ■00		38		1822			
601S.6842. ■■■. ■00		42		2000			
601S.6847. ■■■. ■00		47		2222			
601S.6938. ■■■. ■00		900		38		1822	3
601S.6942. ■■■. ■00			42	2000			
601S.6947. ■■■. ■00	47		2222				
601S.6038. ■■■. ■00	1000	38	1822	3			
601S.6042. ■■■. ■00		42	2000				
601S.6047. ■■■. ■00		47	2222				
601S.8638. ■■■. ■00	800	600	38		1822	4	
601S.8642. ■■■. ■00			42		2000		
601S.8647. ■■■. ■00			47		2222		
601S.8838. ■■■. ■00		800	38		1822		
601S.8842. ■■■. ■00			42		2000		
601S.8847. ■■■. ■00			47		2222		
601S.8938. ■■■. ■00		900	38	1822			
601S.8942. ■■■. ■00			42	2000			
601S.8947. ■■■. ■00			47	2222			
601S.8038. ■■■. ■00		1000	38	1822			
601S.8042. ■■■. ■00			42	2000			
601S.8047. ■■■. ■00			47	2222			

## CKD Packing

